

Commercial Lines – A Potpourri of Reserving Issues

Presented by:

Thomas A. Ryan, FCAS, MAAA

CLRS – September 2011



Antitrust Notice

- The Casualty Actuarial Society is committed to adhering strictly to the letter and spirit of the antitrust laws. Seminars conducted under the auspices of the CAS are designed solely to provide a forum for the expression of various points of view on topics described in the programs or agendas for such meetings.
- Under no circumstances shall CAS seminars be used as a means for competing companies or firms to reach any understanding – expressed or implied – that restricts competition or in any way impairs the ability of members to exercise independent business judgment regarding matters affecting competition.
- It is the responsibility of all seminar participants to be aware of antitrust regulations, to prevent any written or verbal discussions that appear to violate these laws, and to adhere in every respect to the CAS antitrust compliance policy.

2



Construction Defect Liability Reviews

3 September 2010



What are construction defect liabilities?

- Liabilities related to work done by insureds such as general contractors, subcontractors, suppliers, homebuilders, etc.
- Liabilities are not for defective work done by insureds (not warranty losses) but rather damage resulting from defects.
- Typical claims seek damages for faulty wiring or drainage, improper materials, ground settlement and movement, etc.
- Usually high ALAE due to coverage litigation and cross complaints.

Why are they so hard to estimate?

- Constantly changing environment – law changes, policy changes (term and conditions), exposure changes, coding/data changes
- Long incremental reporting pattern
- Differences in jurisdictions – statutes of limitation
- Difficulty in establishing accident date

What do we need to do this right?

- Concise definition of a construction defect claim
- Clear understanding of changes impacting book
 - Policy terms and conditions
 - Exposure mix
 - Claims handling
- Flexible data – loss and exposure
- Non-standard actuarial approach
 - Counts and averages
 - Report lag method

Why not just use standard accident year development method?

- Accident date may not be clearly identified or consistent (continuous trigger)
- Litigation and legislation may affect triangles on the diagonal
- Changes to book distort patterns
- Lack of history and benchmark patterns

7 September 2010



Non-Standard Approach

1. Bifurcate review of liability into analysis of (1) development on known claims and (2) pure IBNR
2. Report year/quarter development analysis of known claims – surprising how much development on mostly property damage type claims
3. Pure IBNR based on Counts & Averages or Report Lag Methods

8 September 2010



Counts and Averages Method (1)

- Methods attempt to estimate future liability by projecting the number of future claims and the average severity amounts related to these claims
- To develop estimate of future reported claims (counts) can use:
 - Triangle methods;
 - Relation to outstanding exposure;
 - Decay methods.
- Need to distinguish CWIPs and CWOPs! They vary over time as well as in relation to total closed claims.
- May have to split patterns or projections based on years if changes can be isolated

9 September 2010



Counts and Averages Method (2)


- To develop estimates of claim severity:
 - Look at recent closed claims
 - Prefer quarterly data (monthly if credible)
 - Make sure to account for ALAE – especially for CWOP
 - Loss trends often erratic

- Advantages of method – Assumptions are transparent; easy to test projections vs. actual results

10 September 2010



Construction Defect



11 September 2010



Contractors - Construction Defect Only Net of Reinsurance As of June 30, 2008

| Report Period | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---------------|---------------|-------------------|-----------------|--------------------------|--------------------|---|-------------------|-------------------------|
| | Closed Claims | Indemnity Payment | Ratio (2) / (1) | Indemnity & ALAE on CWIP | Severity (4) / (2) | Claims Closed w/o Indemnity Payment (1) - (2) | Paid ALAE on CWOP | Claims Closed (7) / (6) |
| Period | Claims | (CWIP) | Ratio | on CWIP | Severity | (CWOP) | on CWOP | Severity |
| 2006_3Q | 29 | 0 | 0% | 9 | | 29 | 3 | 106 |
| 2006_4Q | 37 | 5 | 14% | 183 | 36,612 | 32 | 17 | 534 |
| 2007_1Q | 48 | 6 | 13% | 152 | 25,334 | 42 | 15 | 349 |
| 2007_2Q | 65 | 5 | 8% | 281 | 56,122 | 60 | 10 | 167 |
| 2007_3Q | 78 | 11 | 14% | 568 | 51,616 | 67 | 29 | 435 |
| 2007_4Q | 73 | 10 | 14% | 319 | 31,902 | 63 | 11 | 168 |
| 2008_1Q | 79 | 17 | 22% | 784 | 46,143 | 62 | 11 | 181 |
| 2008_2Q | 87 | 15 | 17% | 742 | 49,452 | 72 | 23 | 314 |
| Total | 496 | 69 | 14% | 3,038 | 44,028 | 427 | 118 | 277 |

12 September 2010



Report Lag Method (1)

- Method used in long-tail lines (med mal, extended warranty, etc.)
- Attempts to break down future loss development into two components:
 - 1) development from loss occurrence to loss reportings; and
 - 2) development from loss reporting to claim closing.
- Development related to second component can be quantified using report year/quarterly development patterns
- Need to determine development related to first component

13 September 2010



Report Lag Method (2)

Outline of Method:

1. Arrange incurred loss and ALAE into layers – each layer represents number of months from beginning of accident year until end of month loss was reported.
2. Apply selected report year development factors to develop report layer triangles to reflect development on reported claims.
3. Accumulate developed reported losses and arrange them in triangle form.
4. Calculate, select and apply development factors from this triangle – indicative of development on unreported claims only.

14 September 2010



Accident Year Report Lag Method

As of June 30, 2008
(000's)

| Accident A) Incurred Indemnity & ALAE by Report Layer | | | | | | | | | | |
|---|-----|-----|-------|-----|-----|-----|-----|-----|-----|-------|
| Year | 6 | 18 | 30 | 42 | 54 | 66 | 78 | 90 | 102 | Total |
| 2000 | 0 | 3 | 7 | 0 | 144 | 11 | 78 | 100 | 24 | 366 |
| 2001 | 0 | 20 | 101 | 105 | 318 | 165 | 442 | 23 | | 1,174 |
| 2002 | 19 | 38 | 43 | 89 | 22 | 48 | 23 | | | 291 |
| 2003 | 354 | 16 | 65 | 141 | 28 | 70 | | | | 674 |
| 2004 | 662 | 248 | 558 | 272 | 152 | | | | | 1,892 |
| 2005 | 12 | 458 | 1,352 | 291 | | | | | | 2,114 |
| 2006 | 296 | 424 | 140 | | | | | | | 860 |
| 2007 | 244 | 306 | | | | | | | | 551 |
| 2008 | 1 | | | | | | | | | 1 |
| | | | | | | | | | | 7,912 |

| Accident B) Report Year Development Factors | | | | | | | | | | |
|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|--|
| Year | 6 | 18 | 30 | 42 | 54 | 66 | 78 | 90 | 102 | |
| 2000 | 1.000 | 1.005 | 1.020 | 1.050 | 1.097 | 1.185 | 1.404 | 2.186 | 4.517 | |
| 2001 | 1.005 | 1.020 | 1.050 | 1.097 | 1.185 | 1.404 | 2.186 | 4.517 | | |
| 2002 | 1.020 | 1.050 | 1.097 | 1.185 | 1.404 | 2.186 | 4.517 | | | |
| 2003 | 1.050 | 1.097 | 1.185 | 1.404 | 2.186 | 4.517 | | | | |
| 2004 | 1.097 | 1.185 | 1.404 | 2.186 | 4.517 | | | | | |
| 2005 | 1.185 | 1.404 | 2.186 | 4.517 | | | | | | |
| 2006 | 1.404 | 2.186 | 4.517 | | | | | | | |
| 2007 | 2.186 | 4.517 | | | | | | | | |
| 2008 | 4.517 | | | | | | | | | |

15 September 2010



Accident Year Report Lag Method

As of June 30, 2008
(000's)

Accident C) Incurred Indemnity & ALAE by Report Layer as of June 30, 2008 - Reflecting Reported Claim Development - (A) x (B)

| Year | 6 | 18 | 30 | 42 | 54 | 66 | 78 | 90 | 102 | Total |
|------|-----|-------|-------|-------|-----|-----|-----|-----|-----|--------|
| 2000 | 0 | 3 | 7 | 0 | 158 | 13 | 110 | 219 | 106 | 615 |
| 2001 | 0 | 20 | 107 | 115 | 376 | 232 | 967 | 102 | | 1,918 |
| 2002 | 19 | 40 | 47 | 105 | 31 | 105 | 105 | | | 452 |
| 2003 | 372 | 17 | 78 | 197 | 61 | 317 | | | | 1,042 |
| 2004 | 727 | 293 | 783 | 594 | 686 | | | | | 3,084 |
| 2005 | 15 | 644 | 2,966 | 1,314 | | | | | | 4,927 |
| 2006 | 415 | 927 | 633 | | | | | | | 1,976 |
| 2007 | 534 | 1,384 | | | | | | | | 1,918 |
| 2008 | 4 | | | | | | | | | 4 |
| | | | | | | | | | | 15,935 |

Accident D) Incurred Indemnity & ALAE by Report Layer as of June 30, 2008 - Reflecting Reported Claim Development - Cumulative

| Year | 6 | 18 | 30 | 42 | 54 | 66 | 78 | 90 | 102 | Cumulative |
|------|-----|-------|-------|-------|-------|-------|-------|-------|-----|------------|
| 2000 | 0 | 3 | 9 | 9 | 167 | 180 | 290 | 509 | 615 | 615 |
| 2001 | 0 | 20 | 127 | 242 | 618 | 850 | 1,817 | 1,918 | | 1,918 |
| 2002 | 19 | 59 | 106 | 211 | 242 | 347 | 452 | | | 452 |
| 2003 | 372 | 389 | 467 | 664 | 724 | 1,042 | | | | 1,042 |
| 2004 | 727 | 1,020 | 1,804 | 2,397 | 3,084 | | | | | 3,084 |
| 2005 | 15 | 658 | 3,614 | 4,927 | | | | | | 4,927 |
| 2006 | 415 | 1,343 | 1,976 | | | | | | | 1,976 |
| 2007 | 534 | 1,918 | | | | | | | | 1,918 |
| 2008 | 4 | | | | | | | | | 4 |
| | | | | | | | | | | 15,935 |

Accident Year Report Lag Method

As of June 30, 2008
(000's)

Historical Data Development Schedule

Accident

| Year | 6 | 18 | 30 | 42 | 54 | 66 | 78 | 90 | 102 |
|------|-----|-------|-------|-------|-------|-------|-------|-------|-----|
| 2000 | 0 | 3 | 9 | 9 | 167 | 180 | 290 | 509 | 615 |
| 2001 | 0 | 20 | 127 | 242 | 618 | 850 | 1,817 | 1,918 | |
| 2002 | 19 | 59 | 106 | 211 | 242 | 347 | 452 | | |
| 2003 | 372 | 389 | 467 | 664 | 724 | 1,042 | | | |
| 2004 | 727 | 1,020 | 1,804 | 2,397 | 3,084 | | | | |
| 2005 | 15 | 658 | 3,614 | 4,927 | | | | | |
| 2006 | 415 | 1,343 | 1,976 | | | | | | |
| 2007 | 534 | 1,918 | | | | | | | |
| 2008 | 4 | | | | | | | | |

Historical Data Development Schedule

Accident

| Year | 18.6 | 30.18 | 42.30 | 54.42 | 66.54 | 78.66 | 90.78 | 102.90 | Ult:102 |
|------|--------|-------|-------|--------|-------|-------|-------|--------|---------|
| 2000 | | 3.479 | 1.000 | 17.989 | 1.075 | 1.612 | 1.754 | 1.209 | |
| 2001 | | 6.277 | 1.906 | 2.557 | 1.375 | 2.137 | 1.056 | | |
| 2002 | 3.079 | 1.806 | 1.992 | 1.147 | 1.434 | 1.302 | | | |
| 2003 | 1.047 | 1.199 | 1.423 | 1.091 | 1.438 | | | | |
| 2004 | 1.404 | 1.768 | 1.329 | 1.286 | | | | | |
| 2005 | 45.275 | 5.492 | 1.363 | | | | | | |
| 2006 | 3.233 | 1.472 | | | | | | | |
| 2007 | 3.592 | | | | | | | | |

Current Issues in CD

- Chinese Dry-Wall
- Homebuilding Market
- Impact of "Going Green"
- Wraps

Reference Items

- Past CLRS presentations
- Mealey's Claims Report
- *Reserving for Construction Defect* – Green, Lassich, et. al – 2000 CAS Forum
- *Extended Service Contracts* – Hayne, CAS Proceedings

19 September 2010



Cape Cod Method

20 September 2010



It's Like Bornhuetter-Ferguson

Indicated ultimate losses = (Losses-to-date) + $(1 - 1/LDF) \times$ (expected ultimate losses)

▪ B-F: ELR \times premium

▪ CC: algorithm using company's data

21 September 2010



So, what are the algorithm inputs?

- Exposure base
- Relationship between exposure base and losses to be projected
- Development factors
- Company's loss data

22 September 2010



Basic Example

| AY | (1) Exposures | (2) Reported Losses | (3) Trend at 7% per year | (4) = (2) × (3) Trended Reported Losses |
|-------|------------------|------------------------|-----------------------------|--|
| 1997 | 7,000 | 3,600 | 1,311 | 4,720 |
| 1998 | 8,000 | 4,000 | 1,225 | 4,900 |
| 1999 | 9,000 | 4,200 | 1,145 | 5,496 |
| 2000 | 10,000 | 3,600 | 1,070 | 3,852 |
| 2001 | 11,000 | 2,800 | 1,000 | 2,800 |
| Total | 45,000 | 18,800 | | 21,768 |

| AY | (5) Percent Reported | (6) (1) × (5) Reported Exposure | (7) (1) - (6) Unreported Exposure | (8) (4) - (6) Trended Developed Loss Ratio |
|-------|-------------------------|---------------------------------------|---|--|
| 1997 | 85% | 5,950 | 1,050 | 79.3% |
| 1998 | 75% | 6,000 | 2,000 | 81.7% |
| 1999 | 60% | 5,400 | 3,600 | 101.8% |
| 2000 | 45% | 4,500 | 5,500 | 85.6% |
| 2001 | 25% | 2,750 | 8,250 | 101.8% |
| Total | | 24,600 | 20,400 | 88.5% |

23 September 2010



Basic Example - Continued


| AY | Trended Developed Loss Ratio | "Two-way" weighting scheme | | Weighted Loss Ratios |
|-------|------------------------------|----------------------------|-----------|----------------------|
| | | Percent Reported | Exposures | |
| 1997 | 79.3% | 85.0% | 7,000 | 4,720 |
| 1998 | 81.7% | 75.0% | 8,000 | 4,900 |
| 1999 | 101.8% | 60.0% | 9,000 | 5,496 |
| 2000 | 85.6% | 45.0% | 10,000 | 3,852 |
| 2001 | 101.8% | 25.0% | 11,000 | 2,800 |
| Total | | | | 21,768 |

| | | | | | |
|-----------------------------|--------|---|--------|---|-------|
| Weighted Average Loss Ratio | 21,768 | ÷ | 24,600 | = | 88.5% |
|-----------------------------|--------|---|--------|---|-------|

24 September 2010




What does the decay process add to the calculation of expected losses?

28 September 2010 

Why do we like the Cape Cod Method?

- Statistical: minimize variance
- Makes "common actuarial sense"
- It's programmed, not ad hoc
- Method is robust

29 September 2010 

Special Reserving Issues

- Speedup/slowdown, case reserve strengthening/weakening
- Mix of business changes
- Changes in limits, retentions
- Large losses

30 September 2010 

Special Reserving Issues

**Cape Cod results are only
as good as their inputs**

31 September 2010



**Development factors will
always be the key**

32 September 2010



**When should the Cape Cod
Method be used and
selected?**

33 September 2010



Reference

- Struzziere – “Using Best Practices to Determine a Best Reserve Estimate”, CAS Forum, Fall 1998 – very practical; a good starting point for the actuary who is unfamiliar with the method
- Gluck – “Balancing Development and Trend in Loss Reserve Analyses”, PCAS LXXXIV (1997) – thorough, technical discussion of the “Generalized” Cape Cod method; introduces the “decay” concept
- Stanard - “A Simulation Test of Prediction Errors of Loss Reserve Estimation Techniques”, PCAS LXXII (1985) – theoretical and technical, includes an important discussion of why “blended” methods are less biased

Miscellaneous

Beware the Soft Market!

- Expected Loss Ratios:
 - How well is rate change monitored?
 - Terms and Conditions changes amplify rate changes
 - AY 2009 likely will turn out worse than expected – be careful if pegging 2010 to this year
- New Business:
 - Attempt to quantify amount of new business – should have higher ELRs than renewals

Benchmarking

- Used prominently by investment advisors (comparison of returns to S&P 500, Barclays Aggregate Bond Index), we should do more of this to put results in context
- Comparison of individual line results to industry from Schedule P can lead to interesting discussions on differences and better understanding of book
- Comparison of directional (up/down) movements in loss ratios across accident years may tell more than comparison of absolute loss ratios
