

The Need for Casualty Catastrophe Models: A Way to Prepare for the 'Next Asbestos'

Special Interest Seminar

A presentation by Matthew Ball and Landon Sullivan

Baltimore, Maryland, October 5, 2012

Antitrust notice


- The Casualty Actuarial Society is committed to adhering strictly to the letter and spirit of the antitrust laws. Seminars conducted under the auspices of the CAS are designed solely to provide a forum for the expression of various points of view on topics described in the programs or agendas for such meetings.
- Under no circumstances shall CAS seminars be used as a means for competing companies or firms to reach any understanding – expressed or implied – that restricts competition or in any way impairs the ability of members to exercise independent business judgment regarding matters affecting competition.
- It is the responsibility of all seminar participants to be aware of antitrust regulations, to prevent any written or verbal discussions that appear to violate these laws, and to adhere in every respect to the CAS antitrust compliance policy.

Agenda

- Evolution of catastrophe models
- Features of casualty catastrophes
- Comparison of casualty vs. natural catastrophe models
- Casualty catastrophe modeling process
- Case study
- Conclusions

Evolution of catastrophe models

History of windstorm catastrophe models



Major catastrophe events have provided the catalyst for increased sophistication in natural and man-made catastrophe modeling and their use

Event	Year	Insured Loss*	Model
Hurricane Andrew	1992	26	Windstorm
Northridge Earthquake	1994	21	Earthquake
WTC	2001	24	Terrorism
Thailand Floods	2011	12	Flood (fresh water)
Japan Earthquake	2011	35	Tsunami

* 2011 prices in \$billions. Source Swiss Re, Sigma No 02/2012

“[Andrew] awakened some larger companies to the fact that their reinsurance protection against catastrophes was far from adequate. It’s only when the tide goes out that you learn who’s been swimming naked.”
Warren E. Buffet, Berkshire Hathaway Inc. 1992 Annual Report, page 10.

What will be the watershed event for casualty catastrophe modeling?

But two of the top three most costly insurance events were casualty catastrophes

Top 10 Most Costly Insurance Events (1970-2011)

Insured Loss (\$bn) *	Year	Event
75	2005	Hurricane Katrina
71	1975	U.S. Asbestos
36	1990	U.S. Pollution
35	2011	Japan Earthquake
26	1992	Hurricane Andrew
24	2001	WTC
21	1994	Northridge Earthquake
21	2008	Hurricane Ike
15	2004	Hurricane Ivan
14	2005	Hurricane Wilma
338		Total
107		Casualty Total

So why isn't casualty catastrophe modeling more widespread?

* Sources:

Natural /man-made catastrophes - Swiss Re, Sigma No 02/2012, 2011 prices.


Casualty catastrophes – Towers Watson analysis of financial statement data compiled by A.M. Best and SNL, undiscounted ultimate losses.

In some respects casualty catastrophe modeling has been with us for a while now

Natural/Man-Made Catastrophe Models


Casualty Catastrophe Models

Underwriting Risk




Andrew focused insurers on the premium loading for tail events for property lines.

To what extent are the tail events allowed for in casualty premiums?




Reserving Risk



Traditional reserving methods (aggregate or by contract)

Policy-event based loss models, e.g.: Asbestos, Pollution, Credit crisis etc.



Slower "velocity" of risk gives companies enough time to borrow some swimming trunks perhaps...??

Benefits of modeling casualty catastrophe very similar to natural catastrophes

- Better understanding of loss process and management of exposure to catastrophes
 - Tailor results to individual company / policy profiles
 - Assist brokers as they inform customers about their exposures and risks
- Scenario testing e.g. realistic disaster scenarios
- Understanding variation and use in economic capital models
 - Estimate and evidence the binary event adjustment (Solvency II)
- Validation of empirical scenarios developed based on underwriting, claim and risk experts' judgment
- Prospectively measure the impact of different underwriting or risk management strategies


Features of casualty catastrophes

How to prepare for the 'Next Asbestos'

- Studying the features of historical casualty catastrophes may yield some clues about the characteristics of the next industry-changing mass tort
- For example, asbestos:
 - Widespread use
 - Involvement in multiple industries
 - Large population exposed
 - Signature disease, mesothelioma
 - Long latency
 - Decades of exposure
 - High propensity to sue, union organization
 - Hospitable judicial environment over time
 - Extensive exposure of insurance policies

The evolution of the risk may also yield some clues

Example - history of asbestos



What makes a casualty catastrophe, anyway?

- Hard to get a concrete definition
- Common response: “I know it when I see it”
- Example A
 - A mass tort must be caused by a specific type of event or product and typically involves multiple defendants, multiple insureds or class action lawsuits. A newly identified type of claim will be considered a mass tort if the insurer’s expected ultimate loss and expense exceeds \$50 million.
- Example B
 - Any claim covering multiple general liability policies
- The specific cause of a mass tort will almost never repeat itself
- Large underlying costs (actual damages and legal fees combined) result from
 - Large exposed population ...
 - ...who develop a serious problem that can be associated with the exposure ...
 - with latency or inaction, exposed population grows before awareness
 - ... and who are inclined to sue for damages


Examples – Past, Present, Future (?)

- Agent Orange
- Asbestos
- Avian influenza pandemic (aka bird flu)
- Bed bugs / Cimex Lectularius
- Bisphenol A (BPA)
- BP Oil Spill
- Carpal tunnel
- Cell phones
- Chemicals – Benzene, formaldehyde
- Chinese Drywall
- Construction defect
- DES including third generation claims
- EMF (electromagnetic fields)
- Environmental / pollution / hazardous waste sites
- Fire retardant plywood
- Food contamination, recall
- Formaldehyde in FEMA trailers from Hurricane Katrina
- Global warming
- Hand guns
- Hearing loss, noise induced
- HIV-tainted blood products
- Indoor air quality – sick building syndrome
- Latex gloves
- Lead paint
- Lead in toys
- Lung – white lung, black lung, baker’s lung, farmer’s lung, popcorn packer’s lung
- Mad cow disease
- Mold
- Nanotubes
- Petroleum products – MTBE
- Perfluorooctanoic Acid (PFOA)
- Pharmaceuticals and medical devices
- Polybutylene systems
- Repetitive motion - carpal tunnel
- SARS (severe acute respiratory syndrome)
- Sexual molestation
- Silica
- Silicone breast implants
- SUV rollover
- Tires
- Tobacco
- Thimerosal Vaccine
- Trans fats
- Welding rods
- WTC first responders
- Y2K

Comparison of casualty vs. natural catastrophe models

General Catastrophe Model

- A catastrophe model is made of various calibrated **modules** and **policy data**




- The challenges are similar for natural, man-made and casualty catastrophe models:
 - Limited Data
 - Sensitivity to Assumptions
 - Accuracy
 - Precision
 - Transparencies
 - External processes and data

“The actuarial literature does not deal with firewall movement in off-center automobile crashes, the relationship of central pressure to windspeed in Atlantic hurricanes, the demographics of drywall installers, or the migration of contaminant plumes in groundwater.” – From “Disability Income to Mega-Risks: Policy-Event Based Loss Estimation”, Bouska


Hurricane Catastrophe Model

- The **key areas** of a hurricane model are physical science (meteorological, engineering)



Casualty Catastrophe Model

- While the structure is similar to other catastrophe models, the relative size and complexity of the various modules are different



Casualty catastrophe modeling process

How to create a casualty catastrophe model

1. Gather historical information on casualty catastrophe events
2. Adjust the ultimate cost of historical events to a common future point in time
3. Parameterize the frequency and severity of historical casualty catastrophes by line of business
4. Simulate future casualty catastrophes by line of business using a frequency-severity approach
5. For each simulated casualty catastrophe, allocate the industry-level ultimate losses to policy year and insurer
6. Review the results in total and along various dimensions
7. Conduce sensitivity testing of the model's assumptions and parameters, and compare with other empirical estimates from expert judgment.

Gather historical information on casualty catastrophe events

Number of Events: **291**
Estimated Costs: **\$542 billion**

Types of Allegations/Causes	Lines of Business
<ul style="list-style-type: none">• Antitrust• Asbestos• Automobile accident• Breach of contract• Collapsed structure• Director negligence• Discrimination• Drugs for mothers, infants or children• Explosion• Fire• Firm causes financial damages• Negligent care• Oil spill• Plane crash• Poisoning/contamination• Pollution/chemical exposure• Product causes medical damage• Product causes property damage• Product unsafe• Securities fraud• Securities negligence• Train collision• Vehicle unsafe	<ul style="list-style-type: none">• Aviation• Directors and Officers• Employment Practices Liability• Errors and Omissions• General Liability — Excluding Products• Marine• Medical Malpractice• Pollution• Products — Excluding Pharmaceuticals• Products — Pharmaceuticals

Source: Towers Watson Casualty Catastrophe database. Data gathered over last few decades

Adjusting Thalidomide: A case study in trending casualty catastrophe events into present day

Initial Estimate of Thalidomide's Worldwide Losses

Claims	Losses	Avg Loss	ALAE	Median Date of Sale	Trend	Length	Trended Losses and ALAE
15,000	30,000,000	2,000	12,000,000	1959	5%	53 years	557,547,844

Thalidomide, launched by Grünenthal on 1 October 1957, was found to act as an effective tranquilizer and painkiller, and was proclaimed a "wonder drug" for insomnia, coughs, colds and headaches. It was also found to be an effective antiemetic that has an **inhibitory effect on morning sickness**, so thousands of pregnant women took the drug to relieve their symptoms.


How much liability would this event produce if it occurred today?

- Has market for drug expanded since 1959, resulting in more claims now than before?
- What would the average settlement be today?
- Would the cases need to be more rigorously defended today, resulting in a higher ALAE load?
- Would the harmful effects of the drug have been noticed earlier, limiting the number of people exposed to the drug?
 - Very likely for Thalidomide.

	Claims	Present Day Avg Loss	Total Losses	ALAE	Trended Losses and ALAE
Present Day Population	30,000	26,550	796,496,921	318,598,768.25	1,115,095,689
Present Day Legal Environment	30,000	1,000,000	30,000,000,000	18,000,000,000	48,000,000,000
Effect Would be Discovered Sooner	5,000	500,000	2,500,000,000	1,500,000,000	4,000,000,000
FDA Would Block Drug	-	1,000,000	-	-	-
Best Estimate?	10,000	500,000	5,000,000,000	3,000,000,000	8,000,000,000


Modeling process – steps 3 and 4

Parameterize model and simulate industry-wide losses



*Option A: no correlation; Option B: rank normal copula with 50% correlation; Option C: multivariate student's t copula with 50% correlation and one degree of freedom

- Not Just Severity:*
- Frequency
 - Date of reporting
 - Policy triggering
 - Number of Entities



GL Claims Source: Towers Watson Casualty Catastrophe Database

Allocate industry-level losses to policy year and insurer

- **Market-Share Approach**

- Use market share of insurers by policy year
- Vary market share to fit a distribution of potential allocations

- **Policy-Level Approach**

- Simulate more details of the event. Some of which may be correlated.
 - Number of claims
 - Number of entities found liable
 - Number of policies triggered
 - Gross severity of each individual claim

Case study – Book of Business

Case study assumptions

- We created a simple fictitious company with the following base assumptions:
 - Two lines of business
 - General liability
 - Products liability
 - Began writing business ten years ago
 - Only writes primary, ground-up policies
 - Writes 25% of the entities in these industries
 - Business written with a 20% coinsurance share of the losses
- Then, some of the base assumptions were varied...

Case study results

Figure 2. Case study

Scenario	Policy terms	Share	Coverage period	Classes	Number of insureds per year	Number of entities in market	Mean in \$millions	50th	90th	95th	99th	99.5th
1	Primary	20%	2001 – 2010	GL + Products	250	1,000	1,021	0.41	2.57	3.88	8.02	10.15
2	Primary	20%	2001 – 2010	GL + Products	500	1,000	2,042	0.55	2.39	3.45	6.37	8.46
3	10 x 10	20%	2001 – 2010	GL + Products	250	1,000	45	0.31	2.41	4.20	10.56	18.51
4	Primary	20%	2001 – 2010	GL	250	1,000	113	0.42	2.62	3.85	7.75	9.92
5	Primary	20%	2001 – 2010	Products Pharma	250	1,000	300	—	2.84	5.58	14.82	21.16
6	Primary	20%	1981 – 2010	GL + Products	250	1,000	1,203	0.40	2.53	3.84	8.32	10.67
7	Primary	100%	2001 – 2010	GL + Products	50	1,000	1,021	0.08	2.45	4.76	13.37	21.63

- Scenario 2 doubles the mean losses and “diversifies” the risk
- Excess layers in scenario 3 mean lower losses, but higher risk
- Scenarios 4 and 5 show effect of only writing different lines of business
- The longer history of policies in scenario 6 leads to slightly higher risks
- In scenario 7, by taking 100% of the share of losses, but writing fewer insureds, the insurer has accepted the same mean loss, but drastically increased the overall risk in extreme percentiles

Case study – Policy-Level Results

Case study assumptions


Six policy types:

- Base: 4m xs 1m, 20% share, written for 10 years, Medical Products
- Large account policy with twice the average exposure for the market
- Higher excess policy of 100 xs 50m
- Legacy policy, stopped writing five years ago
- 100% coinsurance share
- General liability policy

30 policies of each type for a total of 180 policies

Market assumptions the same as first case study

Policy-level statistics can be estimated



- Identifies relative risk
- Facilitates the calculation of risk margins and allocation of capital to type

The evolution in the evolution of casualty catastrophe modelling

Can we predict black swans?

Time difference between future event and observation time point determines whether the event is a black swan or not. ¹

E.g. Internet technology in 1960s vs 1990s

Biological evolutionary methods (e.g. phylogenetics) can assist in identifying prior signals of events. ²



POSSIBLE



UNLIKELY

¹ Nassom Taleb (2007), "The Black Swan"


² A review of the use of complex systems applied to risk appetite and emerging risks in ERM, Allan et al.

The future of casualty catastrophe modeling

Overlay current environment

Casualty catastrophe database of historical characteristics or DNA of risks e.g.

- Size of loss
- No. of insureds
- Insurance trigger
- Class actions
- Latency
- Etc.



Conclusions

Best practices

- Model results are sensitive to some assumptions. Resist the urge to over-parameterize and over-rely.
- Start collecting historical information now
- Set clear definitions early on
 - Catastrophe threshold
 - Events within definition (governmental liability, suits against insurance companies, suits against companies normally not insured?)
 - Claim/claimant/entity
 - Emergence on occurrence, reported or occurrence-reported basis
 - Emerge as nominal ultimate, discounted ultimate, or actuarial best estimate
- Be careful with exposure - it does not only relate to frequency.

Conclusions

- Casualty catastrophes have had major impacts on insurers historically
- Evolution in catastrophe modeling has been driven by major events: Hurricane Andrew, asbestos, pollution, WTC, etc.
- Casualty catastrophe reserving models have been around for a while now: asbestos, pollution, and other policy-event based loss estimation models
- Methods to quantify uncertainty for future casualty catastrophes exist and are evolving
- Further reading: “The Need for Casualty Catastrophe Models: A Way to Prepare for the ‘Next asbestos’” ; Ball, Jing, Sullivan;
<http://www.towerswatson.com/newsletters/emphasis/6025>

Contact details



Matthew Ball
Specializes in property &
casualty risk consulting and
software.
Towers Watson, Bermuda

- Matthew.Ball@towerswatson.com
- 1.441.279.6706



Yi Jing
Specializes in property &
casualty risk consulting and
software. Towers Watson,
Hartford

- Yi.Jing@towerswatson.com
- 1.860.843.7159



Landon Sullivan
Specializes in property &
casualty risk consulting and
software. Towers Watson,
Hartford

- Landon.Sullivan@towerswatson.com
- 1.860.843.7157

Questions?