Current Status of Terrorism Risk Insurance A Modeler's Perspective



Jack Seaquist AIR Worldwide Corporation May 19, 2008



www.air-worldwide.com

Agenda

008 AIR W

© 2008 AIR Worldwide Corporation

- The terrorism threat today
- Open issues in the Terrorism Risk Insurance Program Reauthorization Act of 2007
- Terrorism risk management best practices

"The US Homeland will face a persistent and evolving terrorist threat over the next three years"

- □ Al-Qa'ida is and will remain the most serious threat to the Homeland
- It's central leadership continues to plan high-impact plots
- Al Qa'ida's homeland plotting is likely to continue to focus on prominent political, economic, and infrastructure targets with the goal of producing mass casualties, visually dramatic destruction, significant economic aftershocks, and/or fear among the US population
- They will continue to try to acquire and employ CBRN material in attacks and would not hesitate to use them if it develops sufficient capability
 - --- National Intelligence Estimate, The Terrorist Threat to the US Homeland, July 2007
- Al-Qa'ida is improving the last key aspect of its ability to attack the US: the identification, training, and positioning of operatives for an attack in the Homeland
 Annual Threat Assessment of the U.S. Director of National Intelligence for the Senate Select Committee on Intelligence 5 February 2008




CONFIDENTIA


CONFIDENTI











Example of Contamination Impact: a DHS Dirty Bomb (Cesium) Planning Scenario

- Damage, contamination and casualties are on a much smaller scale than from a nuclear bomb
- Contamination 36 city blocks
- □ Recovery timeline months to years
 - In a Radiological Dispersal Device (RDD), most contamination will fall out within approximately 2,000 feet (although many variables exist), but a small amount may be carried great distances, even hundreds of miles
 - Decontamination activities are undertaken for building exteriors and interiors, streets, sidewalks, and other areas
 - > It may chemically bind to concrete and other masonry, or become lodged in crevices in these surfaces

CONFIDENTIA


- Any and all affected surfaces will likely need to be removed
 Demolition and rebuilding may be the most cost-effective approach
- > Many square blocks will be unavailable to businesses and residents for several years
- Largely uninsured today

2008 AIR Worldwide Corporatio


There is a Wide Range of Government Standards for Residual Contamination Cleanup

15 mrem/yr	EPA, "Establishment of Cleanup Levels for CERCLA Sites With Radioactive Contamination" (e.g., Hanford Site)
25 mrem/yr	NRC, Final Rule on Radiological Criteria for License Termination (10 CFR Part 20 Subpart E)
100 mrem/yr	Health Physics Society Position Statement, "Guidance for Protective Action Following a Terrorist Event" Also the NRC limit for General Public Exposure
500 mrem/yr	EPA, "Manual of Protective Action Guides and Protective Actions for Nuclear Incidents," 400-R-92-001 "doses in any year after the first will not exceed 0.5 rem"
2 rem/yr	EPA, "Manual of Protective Action Guides and Protective Actions for Nuclear Incidents," 400-R-92-001 "doses in the first year will not exceed 2 rem"
5 rem/yr	NRC, "Standards for Protection Against Radiation," recommendation and established dose limit for workers of 5 rem/yr (10 CFR 20 Subpart C)
© 2008 AIR Worldwide	Compression CONFIDENTIAL












DHS Proposed Protective Action Guides for Radiological Dispersion and Improvised Nuclear Devices

- A pre-established numeric guideline was not recommended as best serving the needs of decision makers in the late phase.
- The proposed guidance recommends a decision-making framework, referred to as the optimization process for reaching a consensus on the desired level of cleanup that is responsive to federal, state, and local needs including, most importantly, the protection of the local public health and welfare.


With no pre-defined cleanup standard, radiological contamination is problematic.

© 2008 AIR Worldwide Corporation


CONFIDENTIAL




























Category	Description
0	Open area
1	Residential and rural areas and low density centers
2	Built-up areas in smaller cities and surroundings of large cities
3	High-rise and mid-rise urban environment
4	Urban canyon (e.g., downtown Manhattan)









Summary

© 2008 AIR Worldwide Corpo

1

CONFIDENT

- The terrorism threat remains persistent with continued concern regarding CBRN attacks
- The extension of TRIA for 7 more years postponed consideration of CBRN coverage for property lines, a risk that would be extremely difficult for insurers to cover
- Best practices emphasize management of modeled deterministic loss scenarios and monitoring changes to the probabilistic model results
- Newest AIR terrorism model release includes a more detailed differentiation in losses due to blast as affected by the local building density