CL-3: Catastrophe Modeling for Commercial Lines

David Lalonde, FCAS, FCIA, MAAA Casualty Actuarial Society, Ratemaking and Product Management Seminar March 12-13, 2013 Huntington Beach, CA





Antitrust Notice

- The Casualty Actuarial Society is committed to adhering strictly to the letter and spirit of the antitrust laws. Seminars conducted under the auspices of the CAS are designed solely to provide a forum for the expression of various points of view on topics described in the programs or agendas for such meetings.
- Under no circumstances shall CAS seminars be used as a means for competing companies or firms to reach any understanding – expressed or implied – that restricts competition or in any way impairs the ability of members to exercise independent business judgment regarding matters affecting competition.
- It is the responsibility of all seminar participants to be aware of antitrust regulations, to prevent any written or verbal discussions that appear to violate these laws, and to adhere in every respect to the CAS antitrust compliance policy.




- Increasing use of catastrophe models in the commercial property casualty industry
- Understanding the importance of exposure data quality and robust financial modeling
- Advances in modeling business interruption insurance
- Understanding industrial facilities
- Modeling severe thunderstorms for commercial exposures



Increasing Use of Catastrophe Models in the Commercial Property Casualty Industry



Catastrophe Modeling Framework




- Where are future events likely to occur?
- How intense are they likely to be?
- How frequently are they likely to occur?



Catastrophe Model Output Provides a Tool for Probabilistically Assessing and Managing Risk

- Models provide estimates of loss by event, location and coverage
- This allows determination of the full probability distribution of losses (EP curves)
- Ability to classify losses by:
 - Annual aggregate & occurrence losses
 - Direct, ceded and net retained loss
 - Location, policy, zone, territory and portfolio levels
 - Line of business, construction type, etc.
- Determination of robust risk measures such as TVar

Exceedance Probability (EP) Curve - Occurrence





What is Included in Model Results

Earthquake:

Modeled Perils

- Shake
- Fire following
- Sprinkler leakage
- Liquefaction

Modeled Coverages

- Coverage A Dwelling
- Coverage B Other Structures
- Coverage C Contents / Personal Property
- Coverage D Additional Living Expense / Business Interruption

Non-Modeled Perils

- Landslide
- Loss from levee or dam failures
- Fire loss following EQ due to arson
- Tsunami

Non-Modeled Loss Components

- Loss adjustment expenses
- Debris removal
- Hazardous waste removal
- Loss inflation due to political pressure



An Increasing Number of Commercial Lines Writers Are Using Catastrophe Models in House

In today's increasingly competitive market, the development & deployment of catastrophe models goes beyond an actuarial & statistical exercise

> Underwriting & strategy

Catastrophe model deployment for Pricing & Tier Structure Assessment

End-to-end catastrophe risk management & deployment throughout the enterprise

business intelligence & integration

Technology

Scoring engine implementation & business process redesign Market leaders are those organizations that take a holistic approach to catastrophe risk management. A fully integrated solution that supports the application of catastrophe model output at the point of decision making helps bridge the gap between the slow adopters & market leaders


- Models continue to provide an increasingly more accurate view of catastrophe risk and offer continually expanding functionality.
- Insurers that have successfully integrated catastrophe model output into their risk
 management practices are best positioned to leverage the advanced accuracy and expanded
 functionality of the models.



Integration of Catastrophe Models across the Organization Support Risk Management Best Practices




Catastrophe Models Provide Increased Value to the Risk Assessment of More Complex Policy Types



©2013 AIR WORLDWIDE

Companies That Don't Invest in Analytics, Won't Be Able to Maintain the Status Quo






Source: Christensen, Kaufmann, Shih, "Innovation Killers: How Financial Tools Destroy Your Capacity to Do New Things," Harvard Business Review, Jan. 2008.

Understanding the Importance of Exposure Data Quality and Robust Financial Modeling



Integration of Catastrophe Model Output into Commercial Underwriting Workflows






Identifying the Appropriate Construction and Occupancy Class Can Impact Loss Analyses

Underwriter receives submission with limited information:

- General commercial occupancy
- Unknown construction
- Replacement cost: \$100 million






Lack of Detailed Data Can Lead to an Incomplete View of Risk

- Underwriter might collect additional information through available resources:
 - Commercial occupancy: Hotel (Temporary lodging)
 - Construction type: Steel

Relative Vulnerability of Steel Construction Types for General Commercial Occupancy






Variation within subclasses of construction types highlights the need to accurately capturing detailed data



Robust Exposure Data Tools Provide the Underwriter with the Most Complete View of Risk

- AIR's Touchstone[™] enables the underwriter to validate and fill gaps in exposure data:
 - Validate replacement value and collect data on other primary risk characteristics such as year built, building height, etc.
 - Determine appropriate construction and occupancy classes
 - Identify secondary risk characteristics such as presence of a soft story





Commercial Policies can Have Complex Terms and Conditions

Deductibles

- At location level
 - By site: \$, %, % of loss
 - By coverage: \$ and %
 - Combined (Building, Other Structures, Contents): \$ and %
 - CEA Mini Policy: \$ and %
 - Franchise
- At policy level
 - Attachment point
 - Blanket, Minimum, Maximum
 - % of loss
 - Franchise

Limits


- At location level
 - By site or by coverage
- At policy level
 - Blanket, Excess, By coverage, Sublimits, First loss

Reinsurance

- Facultative reinsurance
 - Proportional
 - Non-proportional
 - Available at policy or individual locations
- Risk-based treaty reinsurance
 - Quota share
 - Surplus share
 - Per risk excess of loss
 - Includes special conditions
 - Line of business and region specific
 - Occurrence limits
 - Aggregate limits
- Portfolio (CAT) treaty reinsurance
 - Occurrence
 - Aggregate (stop loss)




A Probabilistic Approach is Required to Accurately Capture Policy Terms



- Commercial policy terms can be complex
- Defining and incorporating policy terms into catastrophe risk analyses improves the accuracy of modeled losses
- For instance, policy terms covering multiple coverages and location
 - Individual distributions need to be combined to arrive at the joint probability distribution of loss across
 - Coverages
 - Locations



Quality Exposure Data Captured at the Point of Underwriting Improves the Portfolio-level View of Exposure and Informs Underwriting Rules & Strategy



- Simple issue/decline decisions
- Pricing
- Policy terms
- Feed into rate-scoring models
- Impact on loss ratios
- Exposure concentration limits

- Exposure concentration
- Growth planning
- Reporting (statutory)
- Ratemaking
- Reinsurance



Advances in Modeling Business Interruption Insurance



Discussion on Business Interruption (BI)


- BI from an underwriting perspective
 - Estimation of an insured's business income requirement
 - Complexity and variation in policy forms and coverages
 - Challenges in BI claims settlement
- BI exposure data
 - Data requirements
 - Exposure data analysis
- Modeling
 - Model variables
 - Model framework

| | Income and Expenses | | timated 12 Month Policy Period eginning: |
|----|--|-------------|---|
| А. | Gross Sales See Note (A) | | \$ |
| В. | DEDUCT: Prepaid Freight – Outgoing Discounts, Returns & Allowances Bad Debts & Collection Expenses | - - - | \$ \$ \$ |
| c. | EQUALS: Net Sales | = | \$ |
| D. | ADD: Other Earnings from your business operations (not royalties or investment income): See Note (D) Commissions or Rents Cash Discounts Received Other | + + + | \$ \$ \$ |
| E. | EQUALS: TOTAL REVENUES | = | \$ |
| F. | DEDUCT: Total Cost of Goods Sold. This is NOT the GAAP figure. Calculate using worksheet below. | - | \$ |
| G. | DEDUCT: Cost of services you purchase from outsiders to separately resell (e.g. service contracts), that do NOT continue under contract. Costs that continue are NOT deducted. | - | \$ |
| н. | Are you Excluding OR Limiting "Ordinary Payroll" Expenses? If YES, DEDUCT: All "Ordinary Payroll" Expenses See Note (H) If NO, leave blank. | - | \$ |
| ι. | BUSINESS INCOME EXPOSURE FOR 12 MONTHS | = | \$ |




Factors Contributing to Underinsurance in BI

- Use of business interruption limits for annual BI exposure
- Use of rules of thumb to determine BI limit rather than using BI worksheet for each location
- Underestimation of number of locations that can be damaged in a catastrophe
- BI findings from independent insurance studies
 - Businesses either do not have BI coverage or do not have the information to estimate BI exposure
 - Significant underestimation of business downtime (<3 months) to determine BI limits





Robust Approach to Modeling BI Captures Insured Downtime Following a Loss




Time after Event




AIR's Models Use an Event Tree Approach to Handle BI

- Event tree approach
- Function of building damage and occupancy class




Key Factors Used in Determining BI Downtime

 Downtime is influenced by both building complexity and content types





A Robust BI Model Should Incorporate the Impact of Various Factors by Occupancy



Advances in Modeling BI Insurance

- Business interruption accounts of downtime
- Modeling can capture both direct & contingent BI
- AIR's modeling framework allows for the development of separate downtime functions for different types of businesses (occupancies)
- Quality of exposure data varies significantly across the industry: detailed business interruption policy conditions and property conditions are often not available
 - AIR's methodology to modeling business interruption losses employs logical assumptions about the occupancy and building characteristics of "typical" BI policy




Understanding Industrial Facilities



Identifying Major Component Classes within Industrial Facilities (Example: Chemical Plant)

| Component Class Subclass | | | | | |
|--------------------------|---------------------------------------|--|--|--|--|
| component crass | Subclass | | | | |
| | 1 = Docks 2 = Loading Structure | | | | |
| . Transportation Assets | <u>3 = Freight Cars</u> 4 = Rails | | | | |
| | 5 = Pavement | | | | |
| | | | | | |
| | 1 = Pumps | | | | |
| | 2 = Air Condensors | | | | |
| | 3 = Generators | | | | |
| | 4 = Transformers | | | | |
| | 5 = Rectifiers | | | | |
| | 6 = Chlorine Cells | | | | |
| | 7 = Compressor | | | | |
| 2. Plant Equipment | 8 = Furnace | | | | |
| | 9 = Motors | | | | |
| | 10 = Gas Turbines | | | | |
| | 11 = Process Control Equipment | | | | |
| | 12 = Analyzer | | | | |
| | 13 = Elect HV Circuit Brk | | | | |
| | 14 = substations | | | | |
| | 15 = switching stations | | | | |
| | 1=MCC Building/CMU Construction | | | | |
| | 2=Control/office Building/Concrete | | | | |
| | Construction | | | | |
| 3. Buildings | 3=Warehouse Building/ Metal Building | | | | |
| | 4=Maintenance Building/Metal Building | | | | |



| Component Class | Subclass |
|--------------------------|--|
| 4. Pipe Racks | 1 = Old Structures 2 = New Structures |
| 5. Open Frame Structures | 1 = Braced 2 = Unbraced |
| 6. Flares | 1 = Free standing 2 = Guγed 3 = Derrick |
| 7. Process Towers | 1 = All |
| 8. Cooling Towers | 1 = Wood frame 2 = Concrete 3 = Composite Fiber |
| 9. Tanks | 1 = Unanchored 2 = Anchored 3=H/D Range 4=Fill ratio |
| 10. Utility Structures | 1 = Single Wood Pole 2 = Two-pole wood 3 = Three-pole wood 4 = Lattice Pole (transmission tower) 5 = Tubular Steel Pole 6 = Steel Dead-end Pole |




Vertical Vessels

Complexity and Diversity of Industrial Facilities Creates Additional Challenges to the Underwriting Process

- A site can be very large with very different industrial plants in its interior
- Examples of industrial facility classes
 - Chemical plants
 - Petrochemical plants
 - Power generation and distribution systems
 - Manufacturing plants
- In addition, plants may be comprised of many different components each of very different vulnerability


Analysis of a facility's catastrophe risk exposure can depend on the carrier's sophistication & experience in underwriting industrial facilities





Defining the Component-Mix of a Facility Helps to Ensure the Most Accurate Assessment of Vulnerability

- A component-based approach to modeling a facility's damageability should consider the vulnerability of assets comprising the facility
- Underwriters can input the facility's distribution of components to accurately assess vulnerability or select standard industrial facility type



Summary

- Leading companies are integrating catastrophe modeling into their underwriting process for better decisions
- A range of data and techniques are available to provide increasing precision in risk differentiation
- Catastrophe risk is influenced by factors other than simple hazard metrics
- Proper capture of building characteristics and business interruption risk can significantly impact loss estimates
- Component approach improves modeling of Industrial Facilities

