Ari Chatterjee, ACAS & Dr Raveem Ismail

ABSTRACT

Cyber is an emerging line of insurance, which has demonstrated tremendous growth potential over the next decade. Since it is also an anthropogenic peril, with evolving threat landscape and coverages, it is naturally challenging to underwrite. Here, we propose a new and simple measure, the PTBA (Propensity To Be Attacked). Its key advantages are that it is simple to calculate, and is driven by the interplay between attacker motivation and cybersecurity defence. It produces a single number as an output, and is therefore an ideal *risk score*, a familiar concept in the insurance world (e.g., the terrorism class), and pivotal to quick and practical relative risk appraisal required for underwriting decisions.

Keywords: Cyber, Insurance, Reinsurance, Underwriting, Pricing, Risk, Modelling, Catastrophe.

Table of Contents

ABSTRACT		1
<u>1.</u>	RESEARCH CONTEXT & OBJECTIVE	1
<u>2.</u>	DEFINING PROPENSITY TO BE ATTACKED (PTBA)	2
<u>3.</u>	SOME OBSERVATIONS ON KEY PARAMETERS	3
<u>4.</u>	CALCULATING EXAMPLE PTBAS	5
<u>5.</u>	CONCLUSION	6
REFERENCES		7
<u>AU</u>	ITHORS	8

1. **RESEARCH CONTEXT & OBJECTIVE**

Given the paucity of literature on cyber risk insurance, pricing and underwriting, this paper aims to outline a method to underwrite and select risks in a dynamic cyber threat landscape. The traditional methodology of risk classification fails to capture the dynamic nature of the threat landscape and very often, data collected by insurers is insufficient for constructing

sophisticated risk classes. We believe the proposed will assist underwriters and actuaries in profitably underwriting cyber insurance.

2. DEFINING PROPENSITY TO BE ATTACKED (PTBA)

The expected income to an attacker from a cyber-attack is the value of each record hacked, plus any other value that might be derived from the target. I.e., if I is the *expected income*, then:

$$I = N_{\text{PH}}C_{\text{PH}} + N_{\text{PH}}C_{\text{PH}} + O ,$$

where:

- **N** is the number of records the attacker expects to exfiltrate from a target firm.
- **C** is the expected price per record.
- **O** is other gains expected by attacker from target (includes ransom, IP, possible trading insights, possibility of gaining access to larger targets, recognition, etc.).
- **PII** is Personally Identifiable Information (as defined by NIST, e.g., name, date of birth, credit card information, email address, etc.).
- **PHI** is Protected Health Information (as defined by HIPAA, e.g., names, medical records, biometric details, etc.). The estimated relative value of PHI to PII is 50:1 (World Privacy Forum¹).

Attackers also have (daily) costs in order to achieve their income - "profits" are the difference between costs and potential income:

$$P = I - Kt$$
,

i.e.,

$$P = N_{PII}C_{PII} + N_{PHI}C_{PHI} + O - Kt ,$$

where:

- **P** is expected profit for attacker from target.
- **K** is the *daily cost of executing a cyber-attack* (including reconnaissance, infrastructure, outsourcing, cost of hiring insiders, paying for credentials, cost of zero-day vulnerabilities, consequences of getting caught, etc.).
- **t** is time required to breach the target.

Aritra Chatterjee, ACAS & Dr Raveem Ismail

Then, for the attacker, the aim is to maximise the profit function **P** across all targets:

 $Max(P) = Max(N_{PII}C_{PII} + N_{PHI}C_{PHI} + O - Kt).$

Therefore, for the attacker to ascertain target desirability simply means sorting targets in descending order by P. I.e., it will be preferable to attack firms with a higher P (profit function) first. Each attacker will have their own, potentially unique, list in which a firm appears at a certain percentile rank R. NB:

Absolute Rank = No 1 => Percentile Rank = 0%

Absolute Rank = No [Last] => Percentile Rank = 100%.

Since any one firm will be a target for multiple attackers, with various different value of **R** in each attacker's desirability list, the sum of **R**, across all considered attackers **n**, for any one target firm, is a measure of the overall susceptibility of the target to attackers. We therefore define PTBA, the Propensity To Be Attacked, as:

PTBA =
$$(\Sigma_n R) / n$$
.

The higher this metric, the higher is the likelihood to be attacked (elevated risk).

3. SOME OBSERVATIONS ON KEY PARAMETERS

C (expected price per record):

 Given the sensitive nature and value of healthcare information, it is no surprise that C_{PHI} > C_{PII}¹.

O (other gains expected by attacker from target):

- Is highly correlated to the target's industry. E.g., investment banking, hedge funds², law firms, accounting firms, etc., all have (motivating) gains, other than data exfiltration, for an attacker. E.g., ready funds to transfer, etc.
- May be high for smaller vendors working for larger corporations: attackers can leverage such a relationship to attack the larger organisation. The Target breach was via a HVAC vendor³.
- For hacktivists, terrorists and nation states, **O** is non-monetary. As with terrorism, their aim is often to maximise propaganda-of-the-deed than monetary profit (**P**).
- The ransom demanded from ransomware victims is an example of **O**. Generally, the ransom is designed in a way that the victim is better off paying quickly without waiting long, thus ensuring that the cost of suffering (cost to recreate data + cost of unavailability of systems) is below the ransom amount. Globally, about 40% of victims

pay⁴.

K (daily cost of executing a cyber-attack):

- Depends on the type of attacker. A sophisticated and well-resourced attacker capable of absorbing larger expense would generally have a better chance against larger targets. For less sophisticated adversaries, a different victim set or different attack type (with less technical complexity e.g. Ransomware, DDoS) may maximize profits⁵.
- Increases significantly⁶ if there are legal or financial consequences the attacker faces for its action and can be a powerful deterrent to attack.
- To minimize K an attacker may try to re-use the same attack components on similar firms e.g., industry peers, or companies using similar technology. For example, Target and Home Depot hacks included variants of BlackPOS malware, the Sony hack used Destroyer which had code level similarities with Shamoon, used to attack Saudi Aramco⁷.
- Attackers are opportunistic. They go after easiest targets first, not wasting time where quick results are not yielded. Attackers tend to quit when their target firm exhibits strong security¹².
- The time to deter the majority of attacks is less than two days. The longer an organisation can keep the attacker from executing, the more likely the attacker will move to the next target (a parallel from the terrorism space is *target substitution*). Higher IT maturity may therefore deter attackers from pursuit of the target firm¹².
- For calculating **K**:
 - 69% of the attackers are motivated by money. On average, attackers receive \$28,744 annually for every 704 hours spent on attacks¹². This is dissimilar to terrorism, where ideology and propaganda-of-the-deed are key.
 - Attacker technology and availability is improving, enabling more attacks. Technically proficient attackers spend an average of \$1,367 for specialized tools to execute attacks¹².

If we ignore the (possibly eventual) cost of extradition or legal costs to the attacker, we can calculate an average daily cost, the aforementioned **K**:

Aritra Chatterjee, ACAS & Dr Raveem Ismail

K = (\$28,744 + \$1,367) / 704 hours = \$42.8 per hour.

t (time required to breach target):

• Depends on both the maturity of IT security employed by the victim and the sophistication of the attacker.

PTBA (Propensity To Be Attacked):

- Annual revenues are not an exact indicator for PTBA, since the target could be in business of managing third party data (e.g., payroll processors, accountants) which could be of a different value to what its own revenues might imply.
- A bank might have a very high desirability and a large payoff. What prevents it having a high PTBA, is that its stringent countermeasures attenuate its profit function, hence it is by no means guaranteed that a bank would be first in the percentile ranking of profit function.
- PTBA is dimensionless: regardless of how long the list of targets held/considered by each attacker, and regardless of how complete the attacker spectrum characterisation, it is a normalised score between zero and one.

4. CALCULATING EXAMPLE PTBAS

In principle, highly granular data on each individual attacker could be ascertained via the dark web and/or sinkholes. However, since representative (let alone exhaustive) compilation of these is not currently possible in practise, using *attacker groups*, a broader and more practical classification, covers all types of attacker.

Using VCDB data, we can calculate the PTBA across a range of industry classes for a spectrum of attacker types, across a two-year period (2015-2016):

Contor	РТВА			
Sector	Crime	HT	Nation State	Malicious Insider
Accommodation	0.789	0.526	0	0.631
Administrative	0.315	0	0	0.473
Agriculture	0	0	0	0
Construction	0	0	0	0.157
Educational	0.684	0.526	0	0.842
Entertainment	0.315	0	0	0.263
Finance	0.894	0.842	0	0.894
Healthcare	1	0.842	0	1

Information	0.631	0.947	0.736	0.684	
Management	0	0	0	0	
Manufacturing	0	0	0	0.526	
Mining	0.315	0	0	0	
Other Services	0.578	0.789	0.736	0.578	
Professional	0.684	0.736	0.947	0.789	
Public Sector	0.947	1	0.947	0.947	
Real Estate	0	0	0	0.263	
Retail	0.842	0.526	0.736	0.736	
Trade	0.315	0.526	0	0.368	
Transportation	0	0	0	0.421	
Utilities	0.315	0	0.736	0.157	

PTBA - Risk Selection In Cyber Insurance Underwriting

Since PTBA can be calculated for any granularity, we can also combine all attacker types to more simply look at how the threat landscape changes over time (2015-2016 to 2016-2017):

Castar	РТВА		
Sector	2015-16	2016-17	
Accommodation	0.355	0.33325	
Administrative	0.197	0.111	
Agriculture	0	0	
Construction	0.03925	0.097	
Educational	0.3815	0.4025	
Entertainment	0.1445	0.38875	
Finance	0.447	0.444	
Healthcare	0.5	0.486	
Information	0.51275	0.49975	
Manufacturing	0.1315	0.13875	
Mining	0.07875	0.0555	
Other Services	0.723	0.708	
Professional	0.605	0.347	
Public Sector	0.71025	0.62475	
Real Estate	0.06575	0	
Retail	0.5785	0.611	
Trade	0.17075	0.097	
Transportation	0.10525	0.111	
Utilities	0.302	0.2775	

Hence, we infer that the public sector is the most hazardous industry class, while agriculture is the least, borne out empirically, *and* according to the PTBA measure which objectively quantifies such risk.

5. CONCLUSION

We have shown that using readily available historical data, or forecasts for future events¹⁵, that it is possible to calculate a single-number risk score: the PTBA (Propensity To Be

Aritra Chatterjee, ACAS & Dr Raveem Ismail

Attacked). This metric takes into account both attacker motivations and cost, and defender cyber countermeasures. It varies correctly across time, industry, and attacker type. It is flexible and dimensionless: regardless of how long the list of targets held/considered by each attacker, and regardless of how complete the attacker spectrum characterisation, it is a normalised score between zero and one, making it ideal for underwriting both single risks and portfolios, for insurance and reinsurance.

REFERENCES

- 1. 2017 Cost Of Data Breach Study. <u>https://www.ibm.com/security/data-breach/</u>
- 2. Cyber Attackers Turn Their Focus On Hedge Funds. <u>http://usblogs.pwc.com/assetmanagement/cyber-attackers-turn-their-focus-on-hedge-funds/</u>
- 3. *Target Hackers Broke In Via HVAC Company*. <u>https://krebsonsecurity.com/2014/02/target-hackers-broke-in-via-hvac-company/</u>
- 4. *Malwarebytes: Understanding The Depth Of The Global Ransomware Problem.* <u>https://go.malwarebytes.com/OstermanRansomwareSurvey.html</u>
- 5. *Ransomware As A Service*. <u>https://documents.trendmicro.com/assets/resources/ransomware-as-a-service.pdf</u>
- 6. Three Chinese Hackers Fined \$9 Million For Stealing Trade Secrets. http://thehackernews.com/2017/05/chinese-hacker-trade-secrets.html
- Recycle, Reuse, Reharm: How Hackers Use Variants Of Known Malware To Victimize Companies And What Paypal Is Doing To Eradicate That Capability. <u>https://www.paypal-engineering.com/2015/11/19/recycle-reuse-reharm-how-hackers-use-variants-of-known-malware-to-victimize-companies-and-what-paypal-is-doing-to-eradicate-that-capability/</u>
- 8. Black Market Medical Record Prices Drop To Under \$10, Criminals Switch To Ransomware. http://www.csoonline.com/article/3152787/data-breach/black-market-medical-record-prices-drop-tounder-10-criminals-switch-to-ransomware.html
- 9. Chopitea, Thomas. 2012. *Threat Modelling Of Hacktivist Groups Organization, Chain Of Command, And Attack Methods*. <u>http://publications.lib.chalmers.se/records/fulltext/173222/173222.pdf</u>
- 10. Crowdstrike, Art Of Attribution <u>https://www.rsaconference.com/writable/presentations/file_upload/anf-</u> t07b-the-art-of-attribution-identifying-and-pursuing-your-cyber-adversaries_final.pdf
- 11. *NIST Cybersecurity Framework* <u>https://csrc.nist.gov/Projects/Program-Review-for-Information-Security-Assistance/Security-Maturity-Levels</u>
- 12. The Real Cost Of Attacks <u>https://media.paloaltonetworks.com/lp/ponemon/report.html</u>
- 13. Holt, Thomas J and Smirnova, Olga. 2014. *Examining The Structure, Organization, And Processes Of The International Market For Stolen Data.*
- 14. VCDB Github, <u>https://github.com/vz-risk/VCDB</u>
- 15. Ismail, Raveem & Werner, Christoph. 2017. Structured Expert Judgement for (Re)insurance: Forecasting Political Violence frequency. Journal Of Terrorism & Cyber Insurance. Vol 1 No 1. https://ldrv.ms/b/s!AjWDpOlDwNZGgbgsgU8u0E6BYYJ5-w

AUTHORS



Dr Raveem Ismail has focussed on bringing analytical strength to bear on underwriting decision-making for anthropogenic perils throughout his career. He is Director, (Re)insurance at Fractal Industries, where he built and leads the insurance team, and Chair of the Reinsurance Special Interest Group for EU COST Action IS1304 on Structured Expert Judgement. Prior to this, he was Specialty Treaty Underwriter at Ariel Re (Bermuda) where he built a profitable book of terrorism business and also had responsibility for cyber. He previously served at Validus Group and Aon Benfield, and is a triple graduate of Oxford University.



Ari Chatterjee is the incoming Chief Underwriting Officer for Envelop Risk, a smart insurance enterprise focused on the cyber class of business. He previously lead cyber underwriting at Hannover Re (Bermuda) where he built the book to more than \$40m annual premium. He is an actuary by trade and has an overall industry experience of 14 years, including experience at Flagstone Re and GE Insurance Solutions. Ari is a graduate of the Indian Statistical Institute.